

MATERIAL SAFETY DATA SHEET Mercury-In-Glass Thermometer

MANUFACTURER:

Miller & Weber, Inc. 1637 George Street

Ridgewood, NY 11385-5342

DATE: April 10, 2006

SUPERCEDES: MSDS dated 1/1/04

PAGE: 1 of 2

EMERGENCY TELEPHONE:

Chem-Tel, Inc. 1-800-255-3924

Information email: info@millerweber.com

INFORMATION TELEPHONE:

M&W Telephone: (718) 821-7110 M&W Fax:

(718) 821-1673 Web Address: www.millerweber.com

IDENTITY INFORMATION

Chemical Name: Mercury

CAS No.: 7439-97-6

Formula: Hg

HMIS Rating: Health: 3*, Flammability: 0, Reactivity: 0, PPG: See Special Protection Information Section Below.

HAZARDOUS INGREDIENTS

Components

PERCENT

OSHA PEL

ACGIH TLV

Mercury*

100%

0.05 mg/m3

0.05 mg/m3

*Thermometer contains approximately one cc. of mercury. Hazardous only if broken.

PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point:

Vapor Pressure (mm Hg):

Vapor Density (Air=1):

Evaporation Rate:

Solubility in Water: Appearance and Odor:

357 °C

0.0012@ 20 °C, 0.273 @ 100 °C

Depends on Temperature and pressure.

0.002 grams/100 grams @ 20 °C Silver metallic liquid, mobile and odorless. Specific Gravity (H20=1): 13.59

Melting Point: Percent Volatile by Volume:

-39 °C 100%

FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used):

N/A

Flammable Limits:

LEL= N/A, UEL= N/A

Extinguishing Media: Appropriate for surrounding fire.

Special Fire Fighting Procedures: At high temperatures mercury vaporizes rapidly to form highly toxic, adorless, colorless fumes. Use air line or self contained breathing apparatus with full facepieces operated in positive pressure mode only.

Unusual Fire and Explosion Hazards: Mercury is not combustible, flammable or explosive, but will evaporate when heated creating toxic fumes which are both odorless and colorless. Will combine with other compounds (ie ammonia) to create unstable compounds.

REACTIVITY DATA

Stability:

Stable

Conditions to Avoid: Heat and high temperatures.

Incompatability (Materials to Avoid): Halogens, nitric acid, ammonia gas, aluminum, acetylene and acetylene products, boron phosphodliodide, chlorine, chlorine dioxide, methyl azide, sodium carbide, oleum, sulfuric acid. Mercury will readily form amalgams

Hazardous Decomposition or Byproducts:

Mercury vapor.

Hazardous Polymerization:

Will not occur.

CONTROL MEASURES

Respiratory Protection: If mercury spillage & PEL is exceeded use NIOSH certified respirator.

Ventilation: Local Exhaust: at point of origin. Mechanical (General): yes Protective Gloves and Eye Protection: Gloves should be impervious to mercury. Goggles must protect against splashing. Other Protective Equipment or Clothing: tighly woven (ie Tyvek) work clothing fitting closely about neck, wrists, and ankles should be worn. Clothing should be removed and washed frequently. No food, food stuffs, or tobacco products should be present in mercury

Appropriate Hygienic Practices: Standard industrial practice for working with mercury should be observed.

Mercury-in-Glass Thermometer

Page 2 of 2

April 10, 2006

HEALTH HAZARD DATA

Mercury is not listed as a carcinogen by the NTP, IARC or OSHA. Mercury is a cumulative poison that concentrates in the brain, kidneys and liver. It is very hazardous when spilled or heated.

Routes of Entry:

Inhalation, eyes, skin, ingestion.

17188211673

Target Organs:

Skin, eyes, respiratory system, central nervous system, kidneys, liver.

Signs and Symptoms of Exposure:

1. Acute Overexposure:

Inhalation of high levels of mercury vapor can lead to severe respiratory irritation, chest pains, coughing and breathing difficulties which may be fatal if respiratory irritation is severe. Damage to the target organs can occur. These symptoms may also be accompanied by some or all symptoms of chronic poisoning.

2. Chronic Overexposure:

Exposure to low levels of mercury vapor may result in gum and mouth inflammation (accompanied by excess salivation & metallic taste), gingivitis, irritability, tremors, depression, personality changes & nervousness, stomatitis. Chronic effects of overexposure can result in damage to the target organs.

Medical Conditions Generally Aggravated by Exposure: persons with chronic diseases such as tuberculosis, kidney disease, liver disease and alcoholism or are in poor physical condition should be excluded from continuous assignment where mercury is present. The kidney accumulates mercury and damage is usually caused by acute poisoning.

Emergency and First Aid Procedures: CONTACT A QUALIFIED PHYSICIAN

1. Inhalation: Remove person from source of exposure to fresh air. If not breathing give artificial respiration. If breathing is difficult,

give oxygen. Chronic inhalation of vapors or dust over long periods of time may result in mercury poisoning.

2. Eyes:

Occasional accidental contact with eyes is usually harmless if washed out immediately. Hold upper and lower eyelids open, wash eye thoroughly with plenty of water for 15 minutes. Eye and mucous membrane irritant. Consult a

physicien.

3. Skin:

Wash exposed area thoroughly with soap and water. Can penetrate undamaged skin with subsequent absorption by

circulatory system. Can cause dermatitis and allergies.

4. Ingestion:

Accidental swalling or ingestion of mercury is usually harmless. Do not induce vomiting. Consult a physician.

PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken if Material is Released or Spilled: Use appropriate respiratory protection if PEL is exceeded and proper protective clothing. Clean up spills immediately with vacuum equipment that has a filtered exhaust and mercury trap designed for mercury cleanup or a commercial mercury spill clean up kit. Do not dry sweep. Decontaminate with a mercury decontaminant. Keep collected mercury in sealed container for disposal. Avoid skin contact with mercury, wash contacted area with soap and water. Waste Disposal Method: Remove mercury and materials that have come in contact with mercury to proper disposal area. Mercury is recyclable. Do not put in garbage, flush in sewer, or Incinerate. Dispose of in accordance with all Federal, State and Local environmental regulations. Do not dispose in landfill.

Precautions to Be Taken in Handling and Storing: Handle and store thermometer with proper care.

Other Precautions: None.

REGULATORY INFORMATION

Reportable Quantity: 1 pound. The Superfund Amendments and Reauthorization Act (SARA) section 304 requires that a release equal to or greater than the reportable quantity for this substance be immediately reported to the local emergency planning committee and the state emergency response commission (40 CFR 355.40). This substance is also reportable under CERCLA Section 103. RCRA Hazardous Waste No. U151.

Transportation Data:

Shipping Name: Mercury (contained in Manufactured Articles). Hazard Class: Class 8 UN ID No. UN2809

Packing Group: III Hazardous Materials Label: CORROSIVE

California Proposition 65: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

NOTE: THIS INSTRUMENT MAY NOT BE OFFERED FOR SALE IN ANY STATE WHERE THE SALE OF MERCURY-IN-GLASS THERMOMETERS IS PROHIBITED BY LAW.

Miller & Weber, Inc. believes that the Information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product dasignated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and information referred to herein are beyond the control of Miller & Weber, Inc., Miller & Weber, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. Technical information included contains information provided by suppliers to Miller & Weber, Inc.