



Lynx International Network, Inc.

P.O. BOX 18817, Fairfield, OH 45018

Phone Number: 800-950-0736

MATERIAL SAFETY DATA SHEET

PRODUCT TYPE:	<i>Release Agent</i>	NFPA	4-extreme	Fire-0
PRODUCT NAME:	<i>SLICK-EM Bio-Release</i>	Hazard Rating	3-high	Health-0
MSDS DATE:	<i>5-Mar-09</i>		2-moderate	Reactivity-0
			1-slight	Special-
			0-none	

Chemtrec Phone Number: 1-800-424-9300

PRODUCT IDENTIFICATION

CHEMICAL CLASS:	<i>Compound Cleaning Liquid</i>
PROPER DOT SHIPPING NAME:	<i>Not Regulated</i>
DOT HAZARD CLASS:	<i>N/A</i>
HAZARDOUS INGREDIENTS:	<i>N/A</i>

INGREDIENTS

<u>MATERIAL OR COMPONENT</u>	<u>PERCENT</u>	<u>CAS NUMBER</u>	<u>TLV (units)</u>
------------------------------	----------------	-------------------	--------------------

This product contains no hazardous ingredients.

PHYSICAL DATA

BOILING POINT (F):	<i>N/A</i>	SPECIFIC GRAVITY:	<i>1.05</i>
VAPOR PRESSURE:	<i>N/A</i>	PERCENT VOLATILE BY VOLUME:	<i>80</i>
SOLUBILITY IN WATER:	<i>Complete</i>	EVAPORATION RATE:	<i>About same as water</i>
APPEARANCE & ODOR:	<i>Clear Amber Liquid</i>	pH:	<i>8.5 +/- 0.5</i>

FIRE & EXPLOSION DATA

FLASH POINT:	<i>None</i>	AUTO IGNITION TEMP:	
FLAMMABLE LIMITS:	<i>N/A</i>	LEL:	<i>N/A</i>
EXTINGUISHING MEDIA:	<i>N/A</i>	UEL:	<i>N/A</i>
SPECIAL FIRE FIGHTING PROCEDURES:	<i>N/A</i>		
UNUSUAL FIRE & EXPLOSION HAZARDS:	<i>N/A</i>		

HEALTH HAZARD DATA

EMERGENCY AND FIRST AID PROCEDURES

SKIN: *Rinse skin with water for an minimum of 15 minutes.*

EYES: *Flood eyes with water for a minimum of 15 minutes.*

INGESTION: *Do not induce vomiting. Drink large amounts of water.*

INHALATION: *Move person to fresh air. Keep the person lying down.*

PRODUCT TYPE: *Release Agent*
PRODUCT NAME: *SLICK-EM Bio-Release*
MSDS DATE: *5-Mar-09*

page 2

ROUTES OF EXPOSURE

SKIN: *Liquid and vapor can cause irritation.*
EYES: *Liquid and vapor can cause irritation.*
INGESTION: *Liquid and vapor can cause irritation.*
INHALATION: *Vapors can irritate throat, and respiratory system.*

REACTIVITY DATA

STABILITY: *Stable*
INCOMPATIBILITY: *None known.*
HAZARDOUS DECOMPOSITION PRODUCTS: *None*
HAZARDOUS POLYMERIZATION: *None*

ENVIRONMENTAL PROTECTION PROCEDURES

SPILL RESPONSE: *Flood with water, wipe up, or use floor absorbent.*
WASTE DISPOSAL METHOD: *Check Federal, State, and local regulations.*

SPECIAL PROTECTION INFORMATION

EYE PROTECTION: *Safety glasses* SKIN PROTECTION: *None*
RESP. PROTECTION: *If exposed to concentrations above TLV, wear NIOSH / MSHA approved respirator.*
VENTILATION: *Use mechanical ventilation or exhaust to maintain exposure limits below TLV's.*

OTHER PROTECTION: *Wear rubber apron or protective suit if exposed to concentrations above TLV.*

SPECIAL PRECAUTIONS

HYGIENIC PRACTICES IN HANDLING & STORAGE: *Avoid contact with skin, eyes, and clothing.
Store at moderate temperatures.*

PRECAUTIONS FOR REPAIR & MAINTENANCE OF CONTAMINATED EQUIP:

OTHER PRECAUTIONS: *Keep from freezing.*

IMPORTANT: The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. No warranty or guarantee, express or implied, is made regarding performance, stability, or otherwise. The information is not intended to be all inclusive as the manner and conditions of use, handling, or storage. Other factors may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. Lynx Chemicals will not be responsible for customer misuse or wrongful handling of this product. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, or Local laws.

May 5, 2009



ANTI-ADHESIVE MATERIALS

Specification Reference: 409.03(b)

SM Material Code 408M00010

Mat. Code	Source Code	Manufacturer Product Name	Approval Number	Expiration Date
9206	9996	L & L QUALITY PRODUCTS G-SLIDE-----	W078507-----	9/2012
9206	9996	LUBRICANTION ENGINEERING INC 2100 NUTRIGENT-----	W038526-----	11/2009
9206	9996	LUNDY & ASSOCIATES HELP-----	W088526-----	9/2013
9206	9996	LYNX ENTERPRISES, INC SLICKEM-----	W058501-----	8/2010
9206	9996	LYNX ENTERPRISES, INC SLICKEM-BIO-RELEASE-----	W098501-----	4/2014
9206	9996	LYNX ENTERPRISES, INC SLICKEM-HF-----	W058502-----	8/2010
9206	9996	NOBLE SPECIALTY LUBRICANTS, LLC NSL ASPHALT RELEASE PRODUCT #AR5-----	W068504-----	4/2011
9206	9996	QUALITY PRODUCTS AND SUPPLIES EF-10-----	W088503-----	5/2013
9206	9996	QUALITY PRODUCTS AND SUPPLIES QWAR-1000 VOC-----	W078501-----	2/2012
9206	9996	QUALITY PRODUCTS AND SUPPLIES CHERRY SLIP 64-----	W078503-----	4/2012
9206	9996	QUALITY PRODUCTS AND SUPPLIES QWAR-9000-----	W078504-----	4/2012
9206	9996	RHOMEAR ENVIRO-SLIDE ULTRA -----	W068532-----	9/2011
9206	9996	ROCHESTER-MIDLAND SLIPEAZEE NATURAL-----	W028560-----	8/2009
9206	9996	ROCHESTER-MIDLAND SLIPEAZEE SB-----	W028562-----	2/2014
9206	9996	ROCHESTER-MIDLAND SLIPEAZEE 2000-----	W038510-----	2/2014
9206	9996	TEC-TEAM INDUSTRIES INC MEGATON-----	W048508-----	8/2009
9206	9996	TEC-TEAM INDUSTRIES INC TECLON-PRO-----	W088501-----	3/2013
9206	9996	TOMORROW CHEMICALS 090-----	W088502-----	5/2013